Index 1999

Note: (symp.) refers to a symposium of articles; 'vs' indicates differential diagnosis.

A
Abdominal malignancy, child, 669–70
Abdominal pain, bowel cancer, 302
Abuse
• elderly, 164–73
• staff by patient, 69–78
ACE inhibitors
• elderly, 575, 578, 579
• post-MI, 732
Acne, 799
Acromegaly, 110–17
• associated conditions, 111–12
• causes, 110
• management, 89, 114, 116–17
• referral, 114–15
• symptoms/signs, 111
Acromio-clavicular joint pain, 885
ACTH, Cushing's syndrome and, 118, 121, 122
Acupuncture, chronic nasal blockage, 252–4
Adenoma, gallbladder, 297
Adenomatous polyposis, familial, 301
Adhesive capsulitis, 885
Adrenal causes of Cushing's syndrome, 121, 122
Advice, *see* Information/advice
AIDS, 560
Alcohol abuse (drinking problem), 614–18
• atrial fibrillation and, 747
• older patient, 210
• post-MI, 731
Alendronate, osteoporosis, 184–7
Alimentary tract, *see* Gastrointestinal tract
Allergen challenge tests, occupational asthma, 392–6
Allergen reduction, asthma, 232–5, 384, 399
Allergic conjunctivitis, seasonal, 522
Allergic drug reactions, 810–15
Allergic rhinitis, 631
Allergic-type nasal polyps, 256–8
Allopurinol, 891
Alopecia areata, 817–18
α-blockers, benign prostatic hyperplasia, 547
5α-reductase inhibitor, *see* Finasteride
Alprostadil, intracavernosal/intraurethral, 544–6
Alteplase
• MI, 721–2
• stroke, 225
Amantadine, Parkinson's disease, 44, 45
Ambulatory blood pressure measurement, 840–3, 843
5-Aminosalicylic acid, IBD, 312
Amiodarone, thyroid effects, 216, 217
Amitriptyline, osteoarthritis, 878
Anaemia, iron-deficiency, 302
Analgesics
• neck pain, 337–8
• osteoarthritis, 876–7
• polyarthralgia, 520
Angina/cardiac chest pain, 227–31, 330–3
• elderly, 575–6
• new drug, 342
• post-infarct, 732
• unstable angina, 330–3, 706–14
Angiography in neurological disease
• conventional, 18
• magnetic resonance, 18
Angio-oedema, 817
Angioplasty, coronary, 576
Angiotensin II receptor antagonists
• elderly, 578
• heart failure, 725
Angiotensin-converting enzyme inhibitors
• elderly, 575, 578, 579
• heart failure, 578, 725
Antiarrhythmics
• atrial fibrillation, 579, 748, 750–1
• MI, 722
Antibiotics and oral contraceptives, 467–70
Antibodies, *see* Monoclonal antibodies
Anticholinergics, Parkinson's disease, 45
Anticoagulants
• atrial fibrillation, 750, 751
• • elderly, 579
• sick sinus syndrome, 425
• thromboembolic disease, 408
• transient ischaemic attacks, 223
• unstable angina, 330–2, 712–14
Anticonvulsant/anti-epileptic drugs, 20
• migraine, 36
• new, 342
• oral contraceptive interactions, 470
Antidepressants
• evidence-based medicine, 602–5
• in hyperactivity disorder, 662
• long-term SSRI therapy, 9–14
• non-prescribable, 602, 779–86
Anti-epileptic drugs, *see* Anticonvulsant drugs
Antifungals, skin mycoses, 804–9, 820
Antihistamines, pruritus, 207
Antihypertensives, *see* Blood pressure, control
Anti-inflammatories
• asthma, 376–8
• non-steroidal, *see* Non-steroidal anti-inflammatory drugs
• steroidal, *see* Steroids
Antiplatelet agents, unstable angina, 712
Antipruritics, 207, 342
Antipsychotics, atypical, 607
Antithrombotics
• in atrial fibrillation, 748–50, 751
• in secondary prevention, 722
• • unstable angina, 712–14
Antithyroid drugs, 216, 218–21
Aortic regurgitation, 744
Aortic stenosis, 742–4, 745
• echocardiography, 681, 742–4
Arm pain, upper lateral, 882–4
Arrhythmias in sick sinus syndrome, 422–5, *see also* Antiarrhythmics
Arterial disease, *see* Cardiovascular disease; Coronary artery disease
Arthritis
• crystal, 519
• degenerative (osteoarthritis), 519, 873–9
• inflammatory, 518, 519
• • management, 520, 521, 522
• parvovirus B19-related, 672
• spondylitic, 518–19, 519
Asacol, IBD, 312
Asbestos-related pleural disease, 418–20
Aspirin, 722
• angina
• • with nitrate, 342
• • unstable, 712
• atrial fibrillation, 751
• elderly cardiovascular disease, 579
• ischaemic stroke, 225
• transient ischaemic attacks, 223
Asthma, 376–400, 830–6
• exercise-induced, 830–6
• management, 353, 376–84, 399–400, 431, 835–6
• • reducing allergen exposure, 232–5, 384, 399
• occupational, 386–400

Atheromatous plaque, disruption, 706–12
Atopic eczema, 793–6
Atorvastatin, 515–16
Atrial fibrillation, 746–51
• elderly, 579
• heart failure and, 857–65
Attention deficit hyperactivity disorder, 655–62
Aura, migraine with, 34

Autoimmune disease
• polyarthralgia, 519, 520
• of thyroid, older patient, 216
Avonex, 342
Azathioprine, IBD, 313
Azoles, skin mycoses, 804–6, 807, 809

B
Back pain, 895
Bacterial pneumonia, 416–17
Bacterial sexually-transmitted infections, 556–60, 563
Bacterial vaginosis, 563
Balsalazide, IBD, 312
Barrett's mucosa, 262–4
Basal cell carcinoma, skin, 777, 796
Battered women, 593–8
Behavioural therapy, infant sleep disorder, 159
β-blockers
• angina (elderly), 575
• cardiac failure, 725–7
• • elderly, 579
• hyperthyroidism, 218
• migraine, 36
• new product, 522
• post-MI, 722
β_2-agonists, asthma, 378–80, 835, 836
Bicipital tendonitis, 885
Biliary disease, 287–92
• pruritus, 204
Biopsy
• oral cancer, 758
• renal, 571–2
Bi(s)phosphonates
• hyperparathyroidism (primary), 130
• osteoporosis, 84, 183, 184–7, 459
Bleeding, *see* Haemorrhage
Blisters with cryosurgery, 136
Blood, in urine, 564–73
Blood disorders, *see* Haematological disorders
Blood pressure, 838–43
• control (incl. antihypertensives), 720–1
• • diabetes, 67, 98
• • elderly, 576–8, 767
• • new products, 522
• • stroke, 225
• measuring, 838–43
Blood tests, oral cancer, 758
Bone
• disease (primary), polyarthralgia in, 520
• mass/mineral density
• • loss, *see* Osteoporosis
• • measurement, 178, 188, 855
• pain, child cancer, 666–9
Bowel/intestine, *see also* Colitis; Colon
• cancer
• • large bowel, 298–304
• • small bowel in coeliac disease, 280
• inflammatory bowel disease, 307–14
• irritable bowel, *see* Irritable bowel syndrome
Bradycardia, sick sinus syndrome, 422–3, 424–5
Brain, *see also* Neurological disorders
• damage, clumsy child and, 676
• imaging, *see* Neuroimaging
• tumours, child, 669
Breast cancer
• complaint against partner, 443–52
• HRT-related risk, 504, 507
• mastalgia, 486
• screening, 460
Breast pain, 484–9
Breathlessness, post-MI, 732

Indexer:
Dr Laurence Errington

Index 1999

Note: (symp.) refers to a symposium of articles; 'vs' indicates differential diagnosis.

A
Abdominal malignancy, child, 669–70
Abdominal pain, bowel cancer, 302
Abuse
• elderly, 164–73
• staff by patient, 69–78
ACE inhibitors
• elderly, 575, 578, 579
• post-MI, 732
Acne, 799
Acromegaly, 110–17
• associated conditions, 111–12
• causes, 110
• management, 89, 114, 116–17
• referral, 114–15
• symptoms/signs, 111
Acromio-clavicular joint pain, 885
ACTH, Cushing's syndrome and, 118, 121, 122
Acupuncture, chronic nasal blockage, 252–4
Adenoma, gallbladder, 297
Adenomatous polyposis, familial, 301
Adhesive capsulitis, 885
Adrenal causes of Cushing's syndrome, 121, 122
Advice, *see* Information/advice
AIDS, 560
Alcohol abuse (drinking problem), 614–18
• atrial fibrillation and, 747
• older patient, 210
• post-MI, 731
Alendronate, osteoporosis, 184–7
Alimentary tract, *see* Gastrointestinal tract
Allergen challenge tests, occupational asthma, 392–6
Allergen reduction, asthma, 232–5, 384, 399
Allergic conjunctivitis, seasonal, 522
Allergic drug reactions, 810–15
Allergic rhinitis, 631
Allergic-type nasal polyps, 256–8
Allopurinol, 891
Alopecia areata, 817–18
α-blockers, benign prostatic hyperplasia, 547
5α-reductase inhibitor, *see* Finasteride
Alprostadil, intracavernosal/intraurethral, 544–6
Alteplase
• MI, 721–2
• stroke, 225
Amantadine, Parkinson's disease, 44, 45
Ambulatory blood pressure measurement, 840–3, 843
5-Aminosalicylic acid, IBD, 312
Amiodarone, thyroid effects, 216, 217
Amitriptyline, osteoarthritis, 878
Anaemia, iron-deficiency, 302
Analgesics
• neck pain, 337–8
• osteoarthritis, 876–7
• polyarthralgia, 520
Angina/cardiac chest pain, 227–31, 330–3
• elderly, 575–6
• new drug, 342
• post-infarct, 732
• unstable angina, 330–3, 706–14
Angiography in neurological disease
• conventional, 18
• magnetic resonance, 18
Angio-oedema, 817
Angioplasty, coronary, 576
Angiotensin II receptor antagonists
• elderly, 578
• heart failure, 725
Angiotensin-converting enzyme inhibitors
• elderly, 575, 578, 579
• heart failure, 578, 725
Antiarrhythmics
• atrial fibrillation, 579, 748, 750–1
• MI, 722
Antibiotics and oral contraceptives, 467–70
Antibodies, *see* Monoclonal antibodies
Anticholinergics, Parkinson's disease, 45
Anticoagulants
• atrial fibrillation, 750, 751
• • elderly, 579
• sick sinus syndrome, 425
• thromboembolic disease, 408
• transient ischaemic attacks, 223
• unstable angina, 330–2, 712–14
Anticonvulsant/anti-epileptic drugs, 20
• migraine, 36
• new, 342
• oral contraceptive interactions, 470
Antidepressants
• evidence-based medicine, 602–5
• in hyperactivity disorder, 662
• long-term SSRI therapy, 9–14
• non-prescribable, 602, 779–86
Anti-epileptic drugs, *see* Anticonvulsant drugs
Antifungals, skin mycoses, 804–9, 820
Antihistamines, pruritus, 207
Antihypertensives, *see* Blood pressure, control
Anti-inflammatories
• asthma, 376–8
• non-steroidal, *see* Non-steroidal anti-inflammatory drugs
• steroidal, *see* Steroids
Antiplatelet agents, unstable angina, 712
Antipruritics, 207, 342
Antipsychotics, atypical, 607
Antithrombotics
• in atrial fibrillation, 748–50, 751
• in secondary prevention, 722
• • unstable angina, 712–14
Antithyroid drugs, 216, 218–21
Aortic regurgitation, 744
Aortic stenosis, 742–4, 745
• echocardiography, 681, 742–4
Arm pain, upper lateral, 882–4
Arrhythmias in sick sinus syndrome, 422–5, *see also* Antiarrhythmics
Arterial disease, *see* Cardiovascular disease; Coronary artery disease
Arthritis
• crystal, 519
• degenerative (osteoarthritis), 519, 873–9
• inflammatory, 518, 519
• • management, 520, 521, 522
• parvovirus B19-related, 672
• spondylitic, 518–19, 519
Asacol, IBD, 312
Asbestos-related pleural disease, 418–20
Aspirin, 722
• angina
• • with nitrate, 342
• • unstable, 712
• atrial fibrillation, 751
• elderly cardiovascular disease, 579
• ischaemic stroke, 225
• transient ischaemic attacks, 223
Asthma, 376–400, 830–6
• exercise-induced, 830–6
• management, 353, 376–84, 399–400, 431, 835–6
• • reducing allergen exposure, 232–5, 384, 399
• occupational, 386–400

Atheromatous plaque, disruption, 706–12
Atopic eczema, 793–6
Atorvastatin, 515–16
Atrial fibrillation, 746–51
• elderly, 579
• heart failure and, 857–65
Attention deficit hyperactivity disorder, 655–62
Aura, migraine with, 34

Autoimmune disease
• polyarthralgia, 519, 520
• of thyroid, older patient, 216
Avonex, 342
Azathioprine, IBD, 313
Azoles, skin mycoses, 804–6, 807, 809

B
Back pain, 895
Bacterial pneumonia, 416–17
Bacterial sexually-transmitted infections, 556–60, 563
Bacterial vaginosis, 563
Balsalazide, IBD, 312
Barrett's mucosa, 262–4
Basal cell carcinoma, skin, 777, 796
Battered women, 593–8
Behavioural therapy, infant sleep disorder, 159
β-blockers
• angina (elderly), 575
• cardiac failure, 725–7
• • elderly, 579
• hyperthyroidism, 218
• migraine, 36
• new product, 522
• post-MI, 722
β_2-agonists, asthma, 378–80, 835, 836
Bicipital tendonitis, 885
Biliary disease, 287–92
• pruritus, 204
Biopsy
• oral cancer, 758
• renal, 571–2
Bi(s)phosphonates
• hyperparathyroidism (primary), 130
• osteoporosis, 84, 183, 184–7, 459
Bleeding, *see* Haemorrhage
Blisters with cryosurgery, 136
Blood, in urine, 564–73
Blood disorders, *see* Haematological disorders
Blood pressure, 838–43
• control (incl. antihypertensives), 720–1
• • diabetes, 67, 98
• • elderly, 576–8, 767
• • new products, 522
• • stroke, 225
• measuring, 838–43
Blood tests, oral cancer, 758
Bone
• disease (primary), polyarthralgia in, 520
• mass/mineral density
• • loss, *see* Osteoporosis
• • measurement, 178, 188, 855
• pain, child cancer, 666–9
Bowel/intestine, *see also* Colitis; Colon
• cancer
• • large bowel, 298–304
• • small bowel in coeliac disease, 280
• inflammatory bowel disease, 307–14
• irritable bowel, *see* Irritable bowel syndrome
Bradycardia, sick sinus syndrome, 422–3, 424–5
Brain, *see also* Neurological disorders
• damage, clumsy child and, 676
• imaging, *see* Neuroimaging
• tumours, child, 669
Breast cancer
• complaint against partner, 443–52
• HRT-related risk, 504, 507
• mastalgia, 486
• screening, 460
Breast pain, 484–9
Breathlessness, post-MI, 732

Indexer:
Dr Laurence Errington

British Asthma Guidelines, 353, 376–80
British Diabetic Association, 106, 108
Bromocriptine
• acromegaly, 117
• breast pain, 489
• Parkinson's disease, 45
Bronchodilators
• asthma, 353

C
• COPD, 364
C-reactive protein, 709
cA2 (anti-TNF monoclonal), 870
Cabergoline, 45
Calcific tendonitis, 885
Calcitonin, osteoporosis, 187
Calcitriol, osteoporosis, 187
Calcium antagonists, elderly, 575, 578
Calcium supplements, osteoporosis, 183–4
Calculi, gallbladder, 287–93
Cancer (incl. carcinoma), see also Metastases and specific non-carcinomatous types
• bowel, see Bowel
• breast, see Breast cancer
• cervical, screening, 441
• child, 664–70
• endometrial, HRT-related risk, 504–6
• gallbladder, 297
• hypercalcaemia in, 128
• oral, 753–63
• pleural, 418–19
• pleural disease in, 417–18
• prostate, 547–55
• skin, 796
• • sun exposure and, 777, 796, 799
• thyroid, 221
• uterine, 476
Candidiasis
• cutaneous, 800–4
• oral, chronic hypertrophic, 757
• vaginal (thrush), 563
• • recurrent, 633–42
Capsaicin, polyarthralgia, 520
Capsulitis, adhesive, 885
Carbimazole, 216
Carbon dioxide laser, 499
Carcinoma, see Cancer and specific histological types
Cardiovascular disease, 227–31, 330–3, 422–5, 706–51(symp.), see also Heart
• drug therapy, see Drugs
• elderly, 574–80, 767
• evidence-based practice, 693, 718–27
• hyperlipidaemia and, see Hyperlipidaemia
• oral contraceptive and, 463–5
• peri-/postmenopausal, 506
• • HRT and, 507–8
Cardioversion, atrial fibrillation, 750
Carer of confused older patient, 210
Carotid surgery, 224
Catechol O-methytransferase inhibitor, 142
Celecoxib, 868
Central nervous system, see Brain; Neurological disorders; Spinal cord
Cerebrovascular accident, secondary prevention, 222–5
Cervical screening, 441
Cervical spondylosis, 334–8
Challenge tests, occupational asthma, 392–6
Channelopathies, 18
Chemotherapy
• colorectal cancer, 304
• melanoma, 796
• oral cancer, 761
Chest pain, 249
• cardiac, see Angina
• ECG interpretation, 227–31, 247
• non-cardiac, 249
Children, 644–77(symp.)
• allergic rhinitis, 631
• cancer, 664–70
• clumsiness, 675–7
• constipation/soiling/encopresis, 644–52
• hyperactivity, 655–62
• parvovirus B19, 672–4
• stomach upset, 326–9
• young, sleep disorder, 155–62
Chinese herbs, atopic eczema, 793
Chlamydia trachomatis, 558–60
Cholecystitis, acute, 293–7
Cholelithiasis, 287–93
Cholesterol, raised, management, 513–16
Chronic obstructive pulmonary disease, 364–73, 374
Cilest, 465
Clinic, cryosurgery, setting up, 136
Clopidrogel, 722
• unstable angina, 712
Clotting disorders, thromboembolic disease, 405
Clumsy child, 675–7
Coagulation disorders, thromboembolic disease, 405
Coeliac disease, 276–82
Cognitive behaviour therapy, 605–6
Colitis, ulcerative, 307–14
Colon, diverticulosis, 321–4
Colonoscopy, diverticulosis, 323
Colorectal cancer, 298–304
Colposcopy clinics, 441
Community management
• polyarthralgia, 520
• thromboembolic disease, 408–10
Complaint against partner, 443–52
Complementary therapy
• asthma, 384
• chronic nasal blockage, 252–4
Compliance
• in coeliac disease, 280
• in diabetes, 103–8
Computer(s)
• diabetes education packages, 106–8
• psychiatric self-help, 607
Computerised tomography, diverticulosis, 323
Comtess, 142
Confusion, older patients, 209–15
Conjunctivitis, seasonal allergic, 522
Connective tissue disease, polyarthralgia, 519–20, 521, 522
Constipation
• child, 644–52
• irritable bowel syndrome, 319
Consultation time, diabetes education and, 106
Contraception
• mental illness and, 355–62
• oral, see Oral contraceptives
• perimenopausal, 503–4
Coronary angioplasty, 576
Coronary artery bypass graft, 576
Coronary artery disease (ischaemic heart disease), 734, see also Angina; Cardiovascular disease; Myocardial infarction
• acute and chronic coronary syndromes in elderly, 574
• primary prevention, 510–12, 576
• • elderly, 576
• secondary prevention, 512, 576, 734
• • elderly, 576
Corticosteroids, see Steroids
Cortisol excess, Cushing's syndrome, 118
Counselling
• depression, 10
• Parkinson's disease, 47
COX inhibition, see Cyclo-oxygenase inhibition
Crohn's disease, 307–14
Cryosurgery, 131–6
Crystal arthritis, 519
Cushing's disease, defined, 118
Cushing's syndrome, 118–24
• defined, 118
Cutaneous problems, see Skin
Cyclo-oxygenase inhibition, 867–8
• selective COX-2 inhibitor, 868
• • new product, 582
• • osteoarthritis, 876, 877
Cyclosporin, IBD, 313
Cyproterone acetate, hirsutism, 498
Cyst
• labial mucoid, cryosurgery, 135
• sebaceous, 226
Cystitis, 583

D
Dalteparin, 331
Danazol, breast pain, 489
Dehydration, child, management, 326–9
Dementia vs confusion, 209
Depilation, 497
Depression, 591
• drug management, see Antidepressants
• parents
• • of infant with sleeping problem, 155–9
• • mothers, 523
Dermatitis herpetiformis, 282
Dermatofibroma, 822
Dermatology, see Skin
Dermatophytes, see Tinea
DEXA scan, 178, 188, 855
Dexamethasone suppression test, 118
Diabetes, 93–108
• compliance, 103–8
• insulin, 142, 846
• type-2
• • management, 67
• • screening, 93–100
Dialysis services, 531
Dianette, 465
Diarrhoea
• child, 326–9
• irritable bowel syndrome, 319
Diet/nutrition
• management
• • in coeliac disease, 280, 280–2
• • diverticulosis, 323
• • gastroenteritis in child, 328–9
• • hyperactivity disorder, 662
• • hypercholesterolaemia, failed, 513–15
• • IBD, 314
• poor, older patients, 214
Digestive tract, see Gastrointestinal tract
Digoxin
• atrial fibrillation, 750–1
• heart failure, 725
• • elderly, 579
Dithranol, 789
Diuretics
• elderly, 578
• heart failure, 578, 725, 858
Diverticulosis, 321–4
Domestic violence, 593–8
Dopamine agonists, Parkinson's disease, 45
Doxepin, 207, 342
Drinking problem, see Alcohol abuse
Driving and myocardial infarction, 728–30
Drugs, see also specific (types of) drugs
• acne, 799
• acromegaly, 89, 116–17
• allergic reactions, 810–15
• angina
• • elderly, 575–6
• • unstable, 331–3
• asthma, 353, 376–84
• • occupational, 399–400
• atopic eczema, 793–6
• breast pain, 489–90
• cardiovascular
• • angina, see subheading above
• • atrial fibrillation, 579, 748–50
• • cardiac failure, 578–9, 579–80, 722–5, 858
• • hypertension, see Blood pressure
• • myocardial infarction, see subheading below
• Cushing's syndrome, 122
• diabetes, regimes, 108
• disorders caused by
• • confusion, 210
• • thyroid, 216, 217
• diverticulosis, 323
• gallstones, 293
• gout/hyperuricaemia, 888–91
• hirsutism, 498
• hyperactivity disorder, 659–62

- IBD, 312–14
- interactions, oral contraceptives, 467–70
- migraine, 18, 36–8
- myocardial infarction, 721–2, 722
  - elderly, 575
- new products, 142, 342, 522, 622, 768, 846, 894
- oesophageal reflux, 271–4
- osteoarthritis, 876–8
- parkinsonism, see Parkinsonism
- pruritus, 207, 342
- psoriasis, 789–93
- thyroid function tests affected by, 214, 217
- urticaria, 817
- uterine fibroids, 479–81

Dual energy X-ray absorptiometry, 178, 188, 855
Dyslipidaemia, see Hyperlipidaemia
Dyspareunia, perimenopausal, 506
Dysphagia, sideropenic, 757–8

E ECG, see Electrocardiogram
Echocardiography
- atrial fibrillation, 747
- open-access, 678–82
- valvular disease, 679, 681, 740–2

Eczema, atopic, 793–6
Education, patient, see also Information; Training
- asthma, 384
- cervical spondylosis, 336–7
- diabetes, 106–8

Elderly, see Older patients
Electrocardiogram (ECG)
- aortic stenosis, 742
- chest pain, 227–31, 247

Electrolysis, hirsutism, 497
Elemental diet, IBD, 314
Emadine, 522
Embolism, see Pulmonary embolism; Thromboembolic disease
Emedastin difumarate, 522
Emergency management
- colorectal cancer, 304
- diverticulosis, 324

Emphysema, surgery, 373
Employment, see Work
Empyema thoracis, 416–17
Encopresis (child), 644–52
Endocrine disorders, 83–130(symp.)
- breast pain, 486–8
- key developments, 83–90
- polyarthralgia, 520
- pruritus, 204

Endometrial disease, perimenopausal, 503
- HRT-related risk, 504–6, 507

Enoxaparin, 331
Entacapone, 142
Epidermal cyst, 226
Epilepsy, 18–20
Epley's manoeuvre, 23
Eptifibatide, 622
Erectile dysfunction, 543–6
Ergot alkaloids, migraine, 36
Erythema infectiousum, 672–4
Erythroplakia/erythroleukoplakia, 756–7
Etanercept, 870
Etidronate, osteoporosis, 184
Evidence-based medicine, 431
- cardiovascular disease, 693, 718–27
- older patients, 190–4
- psychiatry, 600–5
- women's health, 460–1

Exercise
- cervical spondylosis, 338
- diabetes, 108
- post-MI, 731–2

Exercise-induced asthma, 830–6
Exercise testing
- atrial fibrillation, 747
- post-MI, 732–4

Exorex, 793
Extracorporeal shock-wave lithotripsy, 293
Eye disorders, see Ophthalmological disorders

F Facial hair, see Hair
Fainting (syncope), 18–20
Fallers, services, 194–6
Family (and relatives), diabetes and, 108
Family history of colorectal cancer, 301
Fatigue/tiredness, chronic, 6
- tonics, 533–40

Fatty acids, essential, breast pain and, 488
Females, see Women
Fetus, parvovirus B19 infection, 674
Fibrates, 516
Fibre and diverticulosis, 321, 323
Fibroids, uterine, 474–83
Fibromyalgia, 519–20, 521
Fifth disease, 672–4
Finasteride (5α-reductase inhibitor)
- benign prostatic hyperplasia, 547
- hirsutism, 501

Flixotide nebules, 342
Flu, Relenza, 766
Fluconazole, 809
Fluid management, dehydrated child, 326–9
Fluoxetine, long-term, 10
Flurbiprofen, 894
Flutamide, hirsutism, 498–501
Fluticasone, 342, 378
Foot problems, 818–20
Fosphenytoin, 342
Fractures, osteoporotic, 184, 187
Frozen shoulder, 885
Functional imaging, brain, 18
Fungal skin infections, 800–9, 820

G Gallbladder disease, 287–97
Gammolenic acid, breast pain, 489, 491
Gastroenteritis, child, 326–9
Gastrointestinal tract, 261–329(symp.)
- child cancer affecting, 669–70

Gastro-oesophageal reflux, 249, 261–75
General practitioner's problem, another, 695–705
Genetics
- colorectal cancer, 301
- neurological disease, 16–18

Genitourinary medicine, see Urology and GU medicine
Gentian mixture, alkaline, 533–40
Germ cell tumour, child, 670
Gigantism, pituitary, 111–15
Glomerular disease, microscopic haematuria, 572
Glucose
- blood
  - control in type 2 diabetes, 94
  - testing, 9
- urine, testing, 96

Gluten-sensitive enteropathy (coeliac disease), 276–82
Glycaemia, see Glucose, blood
Glycoprotein IIb/IIIa inhibitor, see GP IIb/IIIa inhibitor
Glycosuria, testing, 96
Goitre, nodular, 217, 221
Gonadotrophin (luteinizing hormone)-releasing hormone analogues
- breast pain, 489
- prostate cancer, 555
- uterine fibroids, 479–81

Gonorrhoea, 558
Goserelin, breast pain, 489
Gout, 886–91
GP IIb/IIIa inhibitor
- new product, 622
- unstable angina, 712

Granuloma, pyogenic, cryosurgery, 135
Granuloma annulare, 821–2
Graves' disease, 217
Griseofulvin, 807
Group education, diabetes, 106
Growth hormone
- deficiency, adult, 89–90
- excess in acromegaly, 110
  - treatment aimed at, 116–17

Gynaecological disorders, 455–61, 474–508

H Haemangioma, cryosurgery, 136
Haematological disorders
- in child cancer, 666
- in parvovirus B19 infection, 673–4
- pruritus in, 204

Haematuria, microscopic, 564–73
Haemorrhage/bleeding
- intracerebral, 224
- rectal, 301
- subarachnoid, 224–5

Hair
- facial (in women; hirsutism), 493–503
  - laser therapy, 497–8, 799
- loss (in alopecia areata), 817–18

Halo naevus, 821
Head lice, 824–9
Headache, 18, 33–8
- chronic daily, 34
- chronic tension, 34–6
- in migraine, 34

Heart, see also Cardiovascular disease
- ischaemic disease, see Coronary artery disease
- radiation-related disease, 620
- ultrasound, see Echocardiography
- valvular disease, 740–5

Heart failure, 857–65
- atrial fibrillation and, 747
- drug therapy, 578–9, 579–80, 722–5, 858
- echocardiography, 679
  - vs blood tests, 681
- elderly, 578–9
  - refractory, 579–80
- home care, 857–65

Helicobacter pylori, 266
Heparins, unstable angina, 330–2, 712–14
Hepatic disease, pruritus, 204
Hepatitis A/B, 563
Hepatoblastoma, 669
Hereditary non-polyposis colorectal cancer, 301
Herpes, genital, 560
Hilar lymph nodes and child cancer, 664
Hirsutism, see Hair
HIV, 560
HMG reductase inhibitors, see Statins
Home care, heart failure, 857–65
Hormonal disorders, see Endocrine disorders
Hormone replacement (oestrogen replacement) therapy, 456–8
- breast cancer risk, 504, 507
- older woman, 459
- osteoporosis and, 84, 178–83, 184, 187
- perimenopausal, 504, 506, 507–8
- post-MI, 731
- thromboembolic disease and, 405

House dust mite, reducing exposure, 232–5, 384
HRT, see Hormone replacement therapy
Humalog, 142
Human immunodeficiency virus, 560
5-Hydroxytryptamine (serotonin) antagonists, migraine, 36
5-Hydroxytryptamine (serotonin) reuptake inhibitors, selective (SSRI), long-term therapy, 9–14
Hyperactive child, 655–62
Hypercalcaemia, primary hyperparathyroidism causing, 127–8
- vs other causes, 128

Hypercalciuric hypercalcaemia, familial, 128
Hypercholesterolaemia, management, 513–16
Hypericum perforatum, 602, 779–86
Hyperkinetic disorder, 655–62
Hyperlipidaemia, 510–16
- elderly, 578

Hyperparathyroidism, primary, 126–30
Hypersensitivity reactions, drug, 810–15
Hypertension
- management, see Blood pressure
- white-coat, 843

Hyperthyroidism (and thyrotoxicosis), 217–21
- atrial fibrillation and, 747, 748

Hypertrichosis, 493, 494
Hyperuricaemia, 886–91
Hypnotics, infant sleep disorder, 150
Hypothyroidism, older patient, 216–17
Hysterectomy, uterine fibroids, 481

Index 1999 continued

Note: (*symp.*) refers to a symposium of articles.

I

Imaging
- neurological, *see* Neuroimaging
- oral cancer, 758–60
- pleural disease, 415, 416
- uterine fibroids, 479

Imazin XL, 342
Imipramine, hyperactivity disorder, 662
Immunosuppressants, IBD, 313–14
Immunotherapy, asthma, 384
Impingement syndrome, shoulder, 884
Impotence, 543–6
Infant
- sleep disorder, 155–62
- stomach upset, 326–9

Infections, *see also specific (types of) pathogen*
- angina and, unstable, 709–12
- intestinal, vs IBD, 311
- myocardial, 620
- pleural effusions, 416–17
- pruritus, 204
- sexually-transmitted, 556–63
- skin, fungal, 800–9, 820

Infestations, 563
Inflammatory bowel disease, 307–14
Infliximab, 870
Influenza, Relenza, 766
Information/advice (patient), *see also* Education
- cryosurgery, 135
- diabetes, 103–8

Inhalers, asthma, 381–4
Injuries/trauma
- domestic violence, 593–8
- psychological reactions to traumatic events, 608–12
- shoulder, 884–5

Insecticides, head lice, 824–6, 826–9
Insulin, new product, 142, 846
Integrilin, 622
Interferon beta-1a, 342
Intestine, *see* Bowel
Intracranial tumours, child, 669
Intrauterine device, *see* IU(C)D
Iodine
- deficiency, 217
- radioactive, 216, 218, 221

Ion channelopathies, 18
Iron-deficiency anaemia, 302
Irritable bowel syndrome, 316–20
- differential diagnosis, 311, 318–19

Ischaemic attacks, transient, 222–4
Ischaemic heart disease, *see* Coronary artery disease
Isorbide mononitrate and aspirin, 342
Itching, *see* Pruritus
Itraconazole, 809
IU(C)D
- mental illness and, 356–7, 362
- perimenopausal, 504

J

Job, *see* Work

K

Keratolysis, pitted, 820
Keratosis, seborrhoeic, cryosurgery, 135
Ketoconazole, 807, 809, 820
Kidney
- end-stage failure, services, 531
- microscopic haematuria with disorders of, 570, 571–2

L

Labial mucoid cyst, cryosurgery, 135
Lactose-containing diets and gastroenteritis in child, 328, 329
Laparoscopic myomectomy, uterine fibroids, 481–3
Large bowel cancer, 298–304
Laser therapy, 799
- hair-removing, 497–8, 799

L-dopa (levodopa), 42–4, 45
Leiomyoma (fibroid), uterine, 474–83
Leiomyosarcoma, 476
Leukaemia, child, 669–70
Leukoplakia, 756
Leukotriene antagonists, 378, 836
Levodopa, 42–4, 45
Lice, *see* Louse
Lichen planus, erosive/atrophic, 757
Lifestyle advice, post-MI, 734–7
Lipase inhibitor, 83–4
Lipid levels
- drugs lowering, 515–16
- raised, *see* Hyperlipidaemia

Liquid N_2, 131, 132
Lithium-associated hypercalcaemia, 128
Liver disease, pruritus, 204
Louse
- head, 824–9
- pubic, 563

Lung
- cancer, pleural disease, 417
- chronic obstructive disease, 364–73, 374
- function tests, occupational asthma, 396–9
- scans, pulmonary embolism, 402, 406
- volume reduction surgery, 373

Luteinizing hormone-releasing hormone analogues, *see* Gonadotrophin-releasing hormone analogues
Lymph node involvement
- child cancer, 664, 666
- oral cancer, 758, 760

Lymphoma
- child, 669–70
- small bowel, in coeliac disease, 280

Lysuride, 45

M

Magnetic resonance angiography, neurological disease, 18
Magnetic resonance imaging
- neurological disease, 18
  - epilepsy, 20
- uterine fibroids, 479

Males, urology, key developments, 543–55
Malignant tumours, *see* Cancer
Malnutrition, older patients, 214
Mammography, 460
Marital problems and infant sleep disorder, 155–9
Mastalgia, 484–9
Maxacalcidol, 792
MCQ of MRCCG and Summative Assessment, 236–7
Mediastinal mass, child, 666
Medico-legal issues, complaint against partner, 443–52
Melanin and laser therapy, 499
Melanoma, 777, 796
Memory, 59
Men, urology, key developments, 543–55
Menopause
- bone loss after, 84–9, 176–88
- years immediately preceding, 502–8

Menorrhagia, 455–6
Menstrual cycle, irregular perimenopausal, 503
Mental health, *see* entries under Psychological
Mesalazine, IBD, 312, 312–13
Mesothelioma, 418–19
Metastases
- from bowel cancer, 302, 304
- in lung, child, 664–6
- in lymph nodes, *see* Lymph node involvement
- from oral cancer, 758
- from prostate cancer, 555

Metered dose inhalers, 384
Migraine, 33–8
- with aura, 34
- without aura, 34
- drugs, 18, 36–8

Mirena, 356
- perimenopausal, 504

Mitral regurgitation, 744
- echocardiography, 679

Mitral stenosis, 744
Molluscum contagiosum, 560
Monoclonal antibodies
- in IBD, 313–14
- to TNF, 870

Monteleukast, 836
Motor neurone disease, therapeutics, 20
Motor problems and clumsy children, 676
MRCGP
- MCQ, 236–7
- oral exam, 140–2
- Paper I, 844–6
- Paper II, 56–8, 892–4
- Summative Assessment and, same year, 236–8
- video exam, 236–7, 764–6
- what happens after passing, 339–41

Mucoid cyst, labial, cryosurgery, 135
Multiple Choice Questions of MRCCG and Summative Assessment, 236–7
Multiple endocrine neoplasia type-1, 110
Multiple sclerosis, 24–30
- course/prognosis, 26–30
- epidemiology, 24–6
- presentation, 26, 28–9
  - late, 30
- therapeutics, 20, 342

Murmur, 742
- echocardiography, 678–9, 679, 681

Musculoskeletal medicine, 867–91(*symp.*)
Mycoses, cutaneous, 800–9, 820
Myocardial infarction, 728–37
- care/rehabilitation, 728–37
- classic presentation, 249
- drug therapy, *see* Drugs
- echocardiography, 682
- prevention, 622

Myocarditis, 619–22
Myofascial syndrome, 519
Myomectomy, uterine fibroids, 481–3

N

Naevi
- cryosurgery, 135–6
- halo, 821

Nail infection (onychomycosis), 804, 807
Naratriptan, 38
Nasal blockage, chronic, 251–8
Nebivolol (Nebilet), 522
Neck pain, 334–8
Neisseria gonorrhoeae, 558
Neoplasms, *see* Tumours
Nephroblastoma, 669
Neuroblastoma, 669
Neurodegenerative disease and Parkinson's disease, differentiation, 39–40
Neuroimaging, 18
- functional, 18

Neuroleptics (antipsychotics), atypical, 607
Neurological disorders, 16–47(*symp.*), see also Brain; Spinal cord
- key developments, 16–23
- malignant, child, 669
- older patient
  - confusion, 210
  - pruritus, 204
- unexplained chronic, 426–30
  - management, 7, 428–30

Neuroprotective therapy, stroke, 225
Nicotinates, 516
Nitrates, angina
- and aspirin, 342
- elderly, 575

Indexer:
Dr Laurence Errington

Nitrogen, liquid, 131, 132
Nodular goitre, 217, 221
Non-steroidal anti-inflammatory drugs (NSAIDs)
- COX inhibition, *see* Cyclo-oxygenase inhibition
- gout, 888
- new products, 582, 894
- osteoarthritis, 876–7
- polyarthralgia, 520
- side-effects/toxicity, 867

Nose, chronic blockage, 251–8
Novarapid, 846
NSAIDs, *see* Non-steroidal anti-inflammatory drugs
Nurses, specialist, *see* Specialist nurses
Nutrition, see Diet

O Obesity
- in Cushing's syndrome, 120
- management, 83–4

Occupation, *see* Work
Octreotide, acromegaly, 89, 117
Ocular disorders, *see* Ophthalmological disorders
Oedema with cryosurgery, 136
Oesophageal reflux, 249, 261–75
Oesophagitis, 261–75
Oestrogen side-effects, 463, *see also* Hormone replacement therapy; Phytoestrogens
Older patients, 164–225(*symp.*)
- abuse, 164–73
- cardiovascular disease, 574–80, 767
- confusion, 209–15
- HRT in women, 459
- osteoporosis, 84–9, 176–88
- progress in medicine, 190–201
- pruritus, 203–7
- resources and demand for/rationing and planning of care, 153, 196–201, 239
- thyroid conditions, 214–21

Onychomycosis, 804, 807
Ophthalmological disorders (incl. visual disturbances)
- multiple sclerosis, 26, 28–9
- vigabatrin-related, 20

Optic neuritis in multiple sclerosis, 26, 28–9
Oral cancer, 753–63
Oral contraceptives
- combined, 358, 361, 503
  - choosing, 462–72
- mental illness and, 355–62
- missed, 361–2, 465–7
- perimenopausal, 503–4

Oral glucose tolerance test, 9
Oral rehydration therapy, child, 326–9
Orlistat, 83–4
Osteoarthritis, 519, 873–9
Osteoporosis and bone loss, 865
- DEXA scan, 178, 188, 855
- perimenopausal HRT and, 506
- postmenopausal, 84–9, 176–88
  - older woman, 459

Ovaries, polycystic, 494–5, 498

P Pain
- abdominal, bowel cancer, 302
- back, 895
- bone, child cancer, 666–9
- breast, 484–9
- chest, *see* Chest pain
- cryosurgery, 136
- neck, 334–8
- polyarticular, 517
- shoulder, 880–5

Palliative care
- colorectal cancer, 304
- heart failure, 864
- oral cancer, 761

Palpitations, post-MI, 732
Pap smear, 441
Paralysis, periodic, 18
Parathyroid hormone, excess/inappropriate secretion, 126–30
Parent(s)
- depression, *see* Depression
- in infant sleep disorder, 155–9

Parenthood, 683
Parkinsonism (incl. Parkinson's disease), 39–47
- differential diagnosis, 39–42
- drug treatment, 23, 42–5
  - new drugs, 142

Paroxysmal disorders, familial, 18
Partner, complaint against, 443–52
Parvovirus B19, children, 672–4
Peak flow studies, occupational asthma, 390, 392
Pentasa, IBD, 312
Pericardial effusion, child cancer, 666
Perimenopause, 502–8
Periodic paralysis, 18
Pet allergens, reducing exposure, 232–5
Pharmacology/pharmacotherapy, *see* Drugs
Phobias, 623
Photodynamic therapy, oral cancer, 761
Phototherapy
- atopic eczema, 796
- psoriasis, 793

Phthirus pubis, 563\delete\
Physiotherapy
- cervical spondylosis, 338
- osteoporosis, 188

Phytoestrogens, 459–60
Pigmentation changes with cryosurgery, 136
Pilar cyst, 226
Pitted keratolysis, 820
Pituitary gigantism, 111–15
Pituitary tumours
- acromegaly and, 110, 114, 116
- Cushing's syndrome and, 118, 121, 124

Pityriasis versicolor, 804, 820
Placebo, tiredness, 533–40
Plantar dermatosis, juvenile, 818–20
Pleural disease, 412–21
Pleural effusion, 412–16, 420
- with infections, 416–17
- with malignancy, 417–18
  - children, 664

Pleurodesis, 418
Pneumonia, bacterial, 416–17
Pneumothorax, spontaneous, 420
Polyarthralgia, 517
Polycystic ovaries, 494–5, 498
Polymyalgia rheumatica, 519
Polyp(s)
- gallbladder, 297
- nasal, chronic nasal blockage with, 254, 256–8

Polyposis, familial adenomatous, 301
Postmenopausal osteoporosis, 84–9, 176–88
Post-phlebitic syndrome, 408–10
Post-traumatic stress disorder, 608–12
Pramipexole, 45
Pravastatin, 512, 720–1
Pregnancy
- coeliac disease and, 282
- parvovirus B19 infection, 674

Premalignant lesions
- oral cavity, 756–8
- skin, cryosurgery, 136

Probenecid, 891
Pro-epanutin, 342
Progesterone-only pill and mental illness, 356, 361–2
Progestogens
- perimenopausal, 503
- side-effects attributed, 463

Propylthiouracil, 216
Prostaglandin E_1, intracavernosal/intraurethral, 544–6
Prostate
- benign hyperplasia, 546–7
- cancer, 547–55

Prostate-specific antigen and prostate cancer, 547–52, 552, 555
Prosthetic heart valve, 744
Pruritus
- drugs, 207, 342
- older patients, 203–7

Psoralen + UVA in psoriasis, 793
Psoriasis, 789–93
Psychological disorders/problems, 591, 600–18(*symp.*), 623
- breast pain and, 488
- colleague, 695–705
- contraception and, 355–62
- key developments, 600–7
- perimenopausal, 506

Psychological procedures/therapy, 605–6
- undiagnosed physical symptoms, 7

Psychological symptoms, older patients, confusion vs dementia, 209
Psychostimulants, hyperactivity disorder, 659–62
Psychotic patients, psychological treatments, 605–6
Psychotropic drugs, key developments, 602–5, 607
Pubic lice, 563
Pulmonary embolism, 402
- diagnosis, 406
- HRT and, 507–8
- older patient, 210
- treatment, 408

Pulmonary non-vascular disease, *see* Lung
PUVA, psoriasis, 793
Pyogenic granuloma, cryosurgery, 135

R Radioiodine, 216, 218, 221
Radiology, *see* Imaging
Radiotherapy
- acromegaly, 116
- heart disease following, 620
- oral cancer, 760–1
- prostate cancer, 552

Raloxifene, 84–9, 184
Reading and clumsy children, 676
Receptionist, abusive patient, 69–78
Rectal bleeding, 301, *see also* Colorectal cancer
5α-Reductase inhibitor, *see* Finasteride
Referral, 846
- acromegaly, 114–15
- cardiovascular disease (elderly), 579–80
- child cancer, 670
- Cushing's syndrome, 120–1
- diverticulosis, 323
- microscopic haematuria, 570–3
- oesophageal reflux, 274
- osteoporosis, 187–8
- polyarthralgia, 521–2
- skin disorders, 816–23

Reflux disease, 249, 261–75
Rehabilitation in MI, 728–37
Rehydration, child, 326–9
Relative/family, diabetes and, 108
Relenza, 766
Renal problems, *see* Kidney
Resins, 516
Respiratory system, 364–401(*symp.*)
- child cancer affecting, 664–6
- key developments in disorders of, 364–75

Reteplase, MI, 721–2
Retinal toxicity, vigabatrin, 20
Retinoids
- acne, 799
- psoriasis, 793

Rheumatologist referral, polyarthralgia, 522
Rheumatology, key developments, 867–71
Rhinitis
- allergic, 631
- perennial, 251–8

Rifampicin and oral contraceptives, 470, 472
Riluzole, 20
Ringworm, *see* Tinea
Rizatriptan, 38
Rofecoxib, 582, 868
Ropinirole, 45
Rotator cuff pathology, 882–5

S St John's wort, 602, 779–86
Sarcoptes scabei (scabies), 563, 820–1
Scabies, 563, 820–1
Screening
- cancer
  - breast, 460
  - cervical, 441
  - child, 670
  - colorectal, 298–301
  - prostate, 547–52
- diabetes type-2, 93–100

drinking problem, 614–16
Sebaceous cyst, 226
Seborrhoeic keratosis, cryosurgery, 135
Sedation, confused older patient, 213
Selegiline, Parkinson's disease, 44, 45
Serotonin, *see* 5-Hydroxytryptamine
Sexual activity
menopause and, 506
MI and, 730–1
Sexually-transmitted infections, 556–63
vaginal thrush vs, 633–42
Shoulder pain, 880–5
Sick sinus syndrome, 422–5
Sideropenic dysphagia, 757–8
Sildenafil, 543–5
Simvastatin, 512
Sinoatrial node dysfunction, 422–5
Skeletal system in child cancer, 666–9
Skin disorders/lesions, 789–829(*symp.*)
cryosurgery, 131–6
fungal infections, 800–9, 820
key developments, 789–99
neoplastic, *see* Cancer; Tumours
pruritus with, 204
referral, 816–23
Skin prick test, occupational asthma, 392
Slapped cheek syndrome, 672–4
Sleep disorders
infant, 155–62
obstructive sleep apnoea, 373
Small bowel cancer in coeliac disease, 280
Smoking
COPD, cessation, 370
oral contraceptives and cardiovascular risk with, 463–5
pneumothoraces, 420
post-MI, 731
Soiling (child), 644–52
Solar rays, *see* Sun exposure
Somatostatin analogue, acromegaly, 89, 116
Spasm, multiple sclerosis, treatment, 20, 30
Specialist nurses
atopic eczema, 796
Parkinson's disease, 47
Spider naevi, cryosurgery, 136
Spinal cord involvement, multiple sclerosis, 30
Spironolactone, hirsutism, 498
Spondylitic arthritis, 518–19, 519
Spondylosis, cervical, 334–8
Sport and diabetes, 108
Squamous cell carcinoma, skin, 777, 796
SSRI, long-term, 9–14
Staff, abusive patient, 69–78
Statins (HMG reductase inhibitors), 515–16
elderly, 578
hypertension, 720–1
secondary prevention, 512
Steroids (corticosteroids)
in asthma, 353, 376–8, 378, 378–80
in atopic eczema, 793
in COPD, 364
Cushing's syndrome caused by excess, 118, 120, 122–4
in gout, injections, 888
in IBD, 313
in osteoarthritis, intra-articular, 878
in perennial rhinitis, 251, 256
in shoulder pain, intra-articular, 884
in urticaria, 817
Stomach, upset, children, 326–9
Stones, gallbladder, 287–93
Strefen, 894
Streptokinase, MI, 721
Stroke, secondary prevention, 222–5
Subarachnoid haemorrhage, 224–5
Sulphasalazine, IBD, 312
Sumatriptan, 37–8
Summative Assessment and MRCGP, same year, 236–8
Sun (UV) exposure
avoidance/sunscreens, 799
skin cancer and, 777, 796, 799
Surgery, *see also specific techniques*
acromegaly, 116
angina (unstable), 714
cancer
colorectal, 304
oral, 760
prostate, 552
carotid, 224
coronary heart disease, 576
Cushing's syndrome, 121–2
diverticulosis, 323–4
emphysema, 373
epilepsy, 20
gallstone, 291–3
hyperthyroidism, 221
IBD, 314
parathyroid, 130
pleural disease (malignant), 418
sebaceous cyst, 226
uterine fibroids, 481–2
Symptoms, physical, undiagnosed, 7
neurological, *see* Neurological disorders
Syncope, 18–20
Syphilis, 556–8

T
Tacalcitol, 789–93
Tacrolismus, atopic eczema, 796
Tags, skin, cryosurgery, 135–6
Tamoxifen, breast pain, 489
Tar-based products, psoriasis, 793
Tattoo pigments, 499
Tendonitis
bicipital, 885
calcific, 885
Tenesmus, bowel cancer, 302
Tension headache, chronic, 34–6
Terbinafine, 804–6, 807–9
Terminal care, oral cancer, 761–3
Theophylline, asthma, 353, 380
Thiazides, elderly, 578
Thionamides, 218
Thromboembolic disease, 402–10
HRT and, 506, 507–8
Thrombolytics
acute MI, 721–2
stroke, 225
Thrombophilias, 405, 408
Thrombosis, *see* Thromboembolic disease; Venous thrombosis
Thrush, vaginal, *see* Candidiasis
Thyroid conditions, older patients, 214–21
Thyroid stimulating hormone levels, 216, 218
Thyrotoxicosis, *see* Hyperthyroidism
Thyroxine replacement therapy, 216
non-compliance, 218
Tinea (dermatophytes), 800, 804
treatment, 804–6
Tinea versicolor (pityriasis versicolor), 804, 820
Tinnitus, 581
Tiredness, *see* Fatigue
TNF blockade, 868–70
Tonic, old-style, 533–40
Training, cryosurgery, 134
Transient ischaemic attacks, 222–4
Trauma, *see* Injuries/trauma
Treponema pallidum, 556–8
Tricholemmal cyst, 226
Trichomoniasis, 560–3
Trichophyton spp., 800, 804
Tricyclic antidepressants, hyperactivity disorder, 662
Triglycerides, raised, 516
Triptans, migraine, 18, 37–8
Tuberculosis, pleural effusions, 416
Tumour(s)
benign (and in general or unspecified)
adrenal, Cushing's syndrome, 122
gallbladder, 297
parathyroid, 127
pituitary, *see* Pituitary tumours
skin, 136, 822
uterine, 474–83
virilising, 494
malignant, *see* Cancer
Tumour necrosis factor blockade, 868–70

U
Ulcerative colitis, 307–14
Ultrasound
cardiac, *see* Echocardiography
cholecystitis (acute), 293
diverticulosis, 323
gallstone, 291
uterine fibroids, 479
Ultraviolet light, *see* UV
Uric acid, excess levels, 886–91
Uricosuric agents, 891
Urine, blood detected, 564–73
Urology and GU medicine, 543–73(*symp.*)
key developments in men's urology, 543–55
Ursodeoxycholic acid, 293
Urticaria, 816–17
Uterine fibroids, 474–83
UV
exposure to, *see* Sun exposure
therapeutic
UVA + psoralen in psoriasis, 793
UVB in atopic eczema, 796

V
Vaccine-like treatment, melanoma, 796–9
Vagina
atrophy, perimenopausal, 504–5
thrush, *see* Candidiasis
Vaginosis, bacterial, 563
Valvular disease, 740–5
echocardiography, 679, 681, 740–2
Vascular lesions, cutaneous
cryosurgery, 135–6
laser therapy, 499
Vasculitis, polyarthralgia, 519–20, 522
Venous thrombosis, deep (DVT), 402–10
HRT and, 507–8
Ventilation in COPD, non-obstructive, 374–5
Verrucae, *see* Warts
Vertigo, benign positional, 23
Viagra (sildenfil), 543–5
Video exam, 237–8, 764–6
Vigabatrin, retinal toxicity, 20
Vioxx (rofecoxib), 582, 868
Viral infections
myocardial, 620
sexually-transmitted, 560
warts, *see* Warts
Virilising tumours, 494
Visual disturbances, *see* Ophthalmological disorders
Vitamin D supplements/derivatives
osteoporosis, 183–4
psoriasis, 789–93
Vomiting child, 326–9

W
Warfarin, atrial fibrillation, 579, 750, 751
Warts/verrucae, 822–3
cryosurgery, 134–5
genital, 560
Water retention and breast pain, 486
Weight reduction/loss (therapeutic)
oesophageal reflux, 266–71
polycystic ovary syndrome, 498
Wilms' tumour, 669
Women (and women's health), 455–508(*symp.*)
battered women, 593–8
depression in mothers, 523
key developments, 455–61
Work (occupation; job; employment)
asthma risk and, 386–400
myocardial infarction and return to, 730
Writing and clumsy children, 676

X
Xepin, 342
Xerosis, 204, 206

Z
Zanamivir, 766
Zolmitriptan, 38